

# ATRASORB PHARMA FREE

## 1. Identification of the product and the company

### 1.1. Product Identifier

Name of the Product: **Atrasorb Pharma Free with indicator (color change: white to violet), granules approximately 4.5 mm**

Codes: 9007, 9008, 9009, 9010, 9011, 9038, 9174, 9178, 9179, 9219

Number of register REACH: this product is a preparation. Number of register REACH see chapter 3.

**1.2 Other means of identification:** data not available

### 1.3. Identified uses of the substance/mixture and non-recommended uses

Identified uses: CO<sub>2</sub> (carbon dioxide) absorbent in pellets for medical use, in closed or semi-closed anaesthetic inhalation circuits, with the use of halogenated anaesthetics.

As it only contains calcium hydroxide as absorbent, its use in procedures with use of halogenated anaesthetics, such as Sevoflurane, Desflurane, Halothane, Enflurane and Isoflurane is more recommended, because the absorption reaction is less exothermic, reducing the formation of toxic compounds significantly.

For additional information about its uses, please go to "Instructions for use"

### 1.3. Details of the supplier of the Material Safety Data Sheet - MSDS

Company: ATRASORB Indústria de Produtos Hospitalares Ltda.

Head Office: Rua Pascoal Pais, 288 – Vila Cordeiro,  
CEP 04581-060, São Paulo – SP - Brasil  
Fones: + 55 11 5521-2076

Branch: Av. Piracicaba, 351, Vila Nova São Roque,  
ZIP CODE 18131-230, São Roque - SP – Brasil  
Fones: + 55 11 5521-2076

### 1.4. Emergency Telephone Number

São Paulo-SP: Phones: + + 55 11 5521-2076

Abiquim 24 hours: +55 11 0800-118270. For international calls dial +55 19 3833-5310

## 2. Hazards identification

### 2.1. Classification GHS

Skin irritation	(Category 2)
Severe eye damage	(Category 1)
Systemic toxicity of specific target organ – single exposure	(Category 3), Respiratory system
Acute Aquatic Toxicity	(Category 3)

### 2.2 Label elements

Pictograms



Signal word: Danger

Hazard Statements

H315 It can cause skin irritation  
H318 It can cause severe eye damage.  
H335 It can cause respiratory tract irritation.  
H402 It can cause harmful to aquatic life

**Precautionary Statement****Prevention**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P304 + P340 + 312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

P305 + P351 + P338 + 310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P332 + P313 If skin irritation occurs: Get medical advice/attention..

**Storage**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

**Disposal**

P501 Dispose of contents/container to approved waste disposal facility.

**2.3. Other hazards**

None

**3. Composition/Information on ingredients****3.1 Substance: not applicable****3.2 Mixture**

Chemical nature: Mix of organic and inorganic components

Component	Classification	Concentration
<b>Calcium Hydroxide</b> CAS nr 1305-62-0 CE nr 215-173-3	- Severe eye damage, Category 1 - Skin irritation, Category 2 - Systemic toxicity of specific target organ – single exposure, Category 3 - Acute aquatic toxicity, Category 3	≥ 68.0 % - ≤ 75.0 %
<b>Sodium silicate</b> CAS nr 1310-70-3 CE nr 215-185-5	- Oral acute toxicity category 5 - Skin irritation category 2 - Eye irritation category 2A	≥ 1.5 % - ≤ 2.5 %

For the full text about the hazard sentences mentioned in this section, see section 16

**4. First aid measures****4.1. Description of first aid measures**

If inhaled: Move exposed person to fresh air. If the exposed person is indisposed, get medical attention.

In case of skin contact: Wash off with plenty of water. Take off contaminated clothing.

In case of eye contact: Rinse with plenty of water. Get medical attention immediately.

If ingested: Make the exposed person drink water (two glasses maximum). Get medical attention.

**4.2. Most important, acute and retarded symptoms and effects**

Irritation and corrosion, Cough, Artificial respiration.

Risk of opacification of the cornea.

#### 4.3. Indication of immediately medical attention and necessary special treatment

There is no available information.

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable to the local conditions and to the surroundings.

Not suitable extinguishing media:

No limitation of extinguishing media is given to this substance/mixture.

#### 5.2. Special exposure hazards

Non-combustible.

Possible formation of hazardous fumes in case of fire in nearby areas.

#### 5.3. Precautions for fire-fighters

Special equipment to protect any involved people in the fire fighting.

Do not stay in the danger zone without self contained breathing apparatus. To avoid skin contact, keep a safe distance and wear protective gear.

Additional information

Avoid surface and ground water contamination with the water used in the fire fighting.

### 6. Accidental release measures

#### 6.1. Personal precautions, protection equipment and emergency procedures

Recommendation to personnel not involved with emergencies: Avoid contact with the substance. Avoid dust inhalation. Provide adequate ventilation. Evacuate the area, observe the emergency procedures, consult a specialist.

Recommendations to emergency personnel: Protective equipment, see section 8

#### 6.2 Environmental precautions

Do not disperse residues in the sewer.

#### 6.3 Methods and materials for containing and cleaning up

Cover drains. Collect, patch and pump spills.

Observe the possible material restrictions (see sections 7 and 10).

Absorb the product in its dry state. Dispose the residues. Clean afterwards. Avoid dust formation.

#### 6.4 Reference to other sections

For treatment of waste, see section 13.

### 7. Handling and storage

- Avoid mechanical shocks or big vibrations;
- Range of temperature between  $-20^{\circ}\text{C}$  to  $+50^{\circ}\text{C}$ ;
- Relative humidity between 10 and 90% (no condensation);

Use the original package to load and unload containers. Follow instructions on item 8.

Store in the original package, in a covered place without weather exposure.

After opening, it is recommended to be used within a maximum of 30 days and that the recipient remains protected from heat and light (preferably in its own box). After this period, the product must be discarded as in item 13.

### 8. Exposure control and personal protection

#### 8.1. Control parameters

Does not contain substances with occupational exposure limits.

## 8.2. Exposure limits

### Planning measures

Technical measures and proper work operations must have priority over the use of personal protection equipment. See section 7.

### Personal protection measures

Personal protective equipment for the body should be selected based on the concentration and the amount of toxic substances according to the specific conditions at the workplace. Resistance of protective equipment to chemical agents should be cleared up with suppliers.

Skin/eye protection  
Fitted safety glasses

Hand protection  
Immersion protection:  
Glove material: Nitrile rubber  
Glove thickness: 0.11 mm  
Break through time: > 480 min

Splash protection:  
Glove material: Nitrile rubber  
Glove thickness: 0.11 mm  
Break through time: > 480 min

Other protection equipment  
Protection suit

Respiratory protection  
Necessary in case of dust formation.  
Type of Filter recommended: Filter P2  
The entrepreneur must make sure that the maintenance, cleaning and test of respiratory protection equipment be executed according to the producer's instructions. These measures should be properly documented.

Environmental risk control  
Do not dispose residues in the sewer.

## 9. Physical and chemical properties

### 9.1. Information on basic physical-chemical properties

Physical state	solid
Color	white to slightly yellowish or grayish
Odor	odorless
Odor threshold	non applicable
PH in 50 g/l (20 °C):	alkaline, (filtered)
Melting point	No data available.
Boiling point	No data available.
Flash point	No data available.
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Lower explosive limit	No data available.
Upper explosive limit	No data available.
Vapor pressure	No data available.
Vapor relative density	No data available.
Relative density	No data available.
Water solubility (20 °C)	insoluble
Partition coefficient (n- octanol/water)	No data available.
Auto ignition temperature	No data available.

Decomposition temperature No data available.  
Viscosity, dynamic No data available.  
Explosion risks Not classified as explosive.  
Oxidizing properties no

**9.2. Other information**

Bulk density  $\geq 800 \text{ kg/m}^3$   
Particle size 2.00 – 4.75 mm

**10. Stability and Reactivity****10.1. Reactivity**

See section 10.3.

**10.2. Chemical Stability**

Humidity sensitive

**10.3. Possibility of hazardous reactions**

Possible violent reactions with acids, hydrogen sulfide, light metals, phosphorus, organic nitro-compounds  
Risk of explosion in the presence of anhydrides

**10.4. Conditions to be avoided**

Humidity

**10.5. Incompatible materials**

Light metals

**10.6. Hazardous decomposition products**

There are no indications

**11. Toxicological information****11.1. Information on toxicological effects**

Mixture

Acute oral toxicity

Symptoms:

Irritation of: Gastrointestinal tract

Acute respiratory toxicity

Symptoms:

- mucous irritation, cough, superficial breathing, possible consequences: lesion in the respiratory tracts

Acute skin toxicity

No data available.

Skin irritation

Rabbit

Result: No skin irritation

Guidelines for test 404 of OECD

(test in mixture)

Eye Irritation

Rabbit

Result: Causes severe eye lesions.

Guidelines for test 405 of OECD.

(test in mixture)

Can cause opacification of the cornea.

The mixture causes severe eye damage.

Sensitivity

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity  
No data available.

Reproductive and lactation toxicity  
No data available.

Teratogenicity  
No data available.

Specific target organ toxicity – single exposure  
Can cause irritation in the respiratory tracts.  
Specific target organ toxicity – repeated exposure  
No data available.

Aspiration risk  
No data available.

### 11.2. Additional information

Other hazardous properties cannot be excluded.  
Handle according to good hygiene and safety industrial practices.

#### Components

##### Calcium hydroxide

Acute oral toxicity: DL50 rat: 7340 mg/kg (IUCLID)

##### Skin irritation

Rabbit

Result: No irritation.

Guidelines for test 404 of OECD in case of sweat/corrosive humidity.

##### Eye irritation

Rabbit

Result: Severe irritation (RTECS)

##### Sodium silicate

Acute oral toxicity: DL50 rat: 2000 mg/kg (IUCLID)

##### Skin irritation

Rabbit

Result: No irritation

##### Eye irritation

Rabbit

Result: Slight irritation (RTECS)

## 12. Ecological information

### Mixture

#### 12.1. Toxicity

No data available.

#### 12.2. Persistence and degradability

No data available.

#### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

PBT/vPvB\* assessment not performed because chemical safety assessment is not required/was not performed.

\*PBT – Persistent – Bioaccumulative – Toxic

vPvB – Very persistent and very bioaccumulative

#### 12.6. Other adverse effects

Additional ecological data

Biological effects: detrimental effect due to pH change. Notwithstanding dilution, it still forms caustic mixtures with water.

Additional data about ecology

Disposal in the environment must be avoided.

Components

Calcium hydroxide

Toxicity to fish: CL50 *Gambusia affinis* (mosquitofish): 160 mg/l; 96 h (IUCLID)

Biodegradability: Methods to determine biological degradability are not applicable to inorganic substances.

Sodium silicate

Toxicity to fish: CL50 *Brachydanio rerio* (Zebra fish): 3,185 mg/l; 96 h (IUCLID)

Toxicity in daphnias and other aquatic invertebrates

CE50 *Daphnia magna*: 494 mg/l; 48 h (ECOTOX Database) (anidrous substance)

Biodegradability: Methods to determine biological degradability are not applicable to inorganic substances

Not applicable to inorganic substances: The substance does not meet the criteria to PBT or vPvB according to regulation (CE) Number 1907/2006, Annex XIII.

### 13. Treatment and disposal considerations

**Waste treatment methods:** Waste must be disposed in solid form in accordance with federal, state and local disposal regulations. Keep chemical substances in its original recipients. Handling of recipients must be done the same way as the product.

**Residue category:**

EWL (European list of residues) 16 03 3\* / 18 01 06\*

**Disposal legislation:**

-Law 12.305 / 2010 Solid Residues National Politic;  
-RDC ANVISA Number 306 / 2004 Technical Regulation to health service residues management;  
-Resolution CONAMA Number 358/2005 Treatment and final destination of health service residues;  
-The Hazardous Waste (England & Wales) Regulations 2005;  
- Residue code number, applicable to Europe – residue code number, applicable to Europe

**Storage:**

-Avoid mechanical shocks or big vibrations;  
-Range of temperature between –20°C to +50°C;  
-Relative humidity between 10 and 90% (no condensation);

**Storage class:**

LGK 10-13 (VCI – concept)

### 14. Transport information

14.1 UN Number

ADR / RID, DOT (US), IMDG, IATA, ANTT: Special Provision 62 in Transport Regulations (IMDG / RID / ADR / ADN code) specifies that soda lime is not considered to be a dangerous goods for transport with sodium hydroxide concentrations less than 4% as well as special provision A16 to the IATA Regulation.

14.2 UN proper shipping name

ADR / RID: ATRASORB PHARMA FREE (Absorbent lime)

DOT (US): ATRASORB PHARMA FREE Absorbent lime (Carbon dioxide absorber)

IMDG: ATRASORB PHARMA FREE Absorbent lime (Carbon dioxide absorber)

IATA: ATRASORB PHARMA FREE Absorbent lime (Carbon dioxide absorber)

ANTT: ATRASORB PHARMA FREE (Absorbent lime)

14.3 Transport hazard class (es)

ADR / RID, DOT (US), IMDG, IATA, ANTT: exempt by the special provisions 62 and A16

14.4 Packing Group

ADR / RID, DOT (US), IMDG, IATA, ANTT: exempt by the special provisions 62 and A16

14.5 Environmental hazards

ADR / RID: no DOT (US): no IMDG marine pollutant: no IATA: no

14.6 Special precautions for user

Data not available

## 15. Regulatory information

R Sentence(s)	41	Risk of severe eye lesions.
S - Sentence(s)	S 2	Keep children out of reach.
	S 26	In case of contact with eyes, rinse immediately and with plenty of water and see a specialist.
	S 37/39	Wear gloves and eye/face protective equipment.

### 15.1 Regulations

Additional classification according to GefStoffV Annex II No (only if different of EC classification):

Occupation restriction:	n/a
State Law about hazardous incidents:	n/a
Water pollution class:	1 (autoclassification)

Information according to 1999/13/EC about volatile limitations of organic compound emissions (guideline VOC):

Other regulations, restrictions and prohibitions:

(like industrial medicine principles and health and safety regulations).

Instruction sheet BG-Chemie (Chemical Professional Association):

Other state regulations may be applicable. See state individual requirements.

## 16. Other information


### Full text of H Declarations mentioned in sections 2 and 3.

H290: May be metal corrosive.  
H314: Cause severe skin burn and eye damage.  
H315: Cause skin irritation.  
H318: Cause severe eye lesions.  
H335: May cause irritation of respiratory tracts.

### Text of R-sentences mentioned in titles 2 and 3

R35: Cause severe burns.  
R37: Irritating to respiratory tracts.  
R37/38: Irritating to skin and respiratory tracts.  
R41: Risk of severe eye lesions.



 Absorvedor de CO <sub>2</sub>	Ficha de Informações de Segurança de Produtos Químicos – FISPQ <b>Material Safety Data Sheet - MSDS</b> <b>ATRASORB PHARMA FREE</b>	NUMBER:	<b>MSDS-007</b>
		DATA OF ISSUE:	<b>11/03/2003</b>
		REVISION:	<b>13</b>
		REVISION DATE:	<b>06/28/2019</b>
		PAGE:	<b>9 of 9</b>

**Training recommendations**

Provide information, instructions and proper training to operators.

**Caption of abbreviations and acronyms**

Abbreviations and acronyms used may be consulted in <http://www.wikipedia.org>.

The indications are based in the present date of our knowledge and are applicable to the characterization of the product with regard to appropriate safety measures. They do not represent any guarantee of the properties of the described product.

